



Original Research Article

Formulation and evaluation of medicated herbal syrup of madar (*calotropis gigantea*) extract

Amit G. Nerkar^{1,2,*}, Ashutosh Pansare²

¹Founder and Director, Ateos Foundation of Science Education and Research, Pune, Maharashtra, India

²Dept. of Pharmacy, CAYMET's Siddhant College of Pharmacy, Pune, Maharashtra, India



ARTICLE INFO

Article history:

Received 20-06-2023

Accepted 24-07-2023

Available online 12-08-2023

Keywords:

Formulation

Evaluation

Syrup

Madar

Calotropis Gigantea

ABSTRACT

Calotropis gigantea also in Indian system known as Madar plant, the weed is also known as giant weed. Trees of the family Apocynaceae include latex-bearing trees and are mainly endemic to Indian Asian subcontinent countries. In recent decades *C. Gigantea* is extensively studied and found to possess many bioactive compounds. This plant has been reported for several pharmacological properties such as analgesic activity, antibacterial activity, antioxidant activity, antipyretic activity, insecticidal activity, cytotoxic activity, and cytotoxic activity. Hepatoprotective, pregnancy-preventing, cleansing properties, procoagulant and curative activity. The study focused on the formulation and evaluation of herbal medicinal syrups from *C. gigantea*. Four herbal syrups have been prepared with an optimized F4 formulation and can be developed on a commercial scale.

This is an Open Access (OA) journal, and articles are distributed under the terms of the [Creative Commons Attribution-NonCommercial-ShareAlike 4.0 License](https://creativecommons.org/licenses/by-nc-sa/4.0/), which allows others to remix, tweak, and build upon the work non-commercially, as long as appropriate credit is given and the new creations are licensed under the identical terms.

For reprints contact: reprint@ipinnovative.com

1. Introduction

Medicinal Plants: Plants with desirable and undesirable pharmacological activities can be called medicinal plants. At present, it has been established that plants normally synthesize and collect a number of optional metabolites, similar to alkaloids, glycosides, tannins, volatile oils, and contain minerals and nutrients, which have specific characteristics.¹

Calotropis Gigantea: In Ayurveda the herb *Calotropis gigantea* is also known as “Sweta Arka” and *Caotropis procera* as “Raktha Arka”.² *Calotropis gigantea* Linn exhibits a variety of pharmacological effects for animal and human consumption such as antipyretic activity, cytotoxic activity, antibacterial activity, insecticidal activity, and wound healing activity. brand, CNS potency and load containment properties. Plant latex has been reported to have laxative properties, anticoagulant activity, wound

healing activity and antibacterial activity. The stem has been reported to have hepatotoxic effects. This plant is native to India, and Indian subcontinental countries. The plant has pale green oval leaves, milky white stems and clusters of waxy white or lavender flowers.

2. Herbal Syrup

Herbal syrup is prepared by herbal extract decoction with appropriate herbal excipients such as flavored sugar syrup, preservatives such as regenerated alcohol, flavoring, and herbal additives. To increase the shelf life of the prepared formulation it was mixed with sugar helps to build the viscosity and as natural preservative. Herbal syrup contains extracts of medicinal plants. Several herbal and medicinal syrups have been prepared and evaluated by Nerkar et al.³⁻⁶

* Corresponding author.

E-mail address: dragnerkar@gmail.com (A. G. Nerkar).

3. Description of the Plant

3.1. *Calotropis Gigantea* (madar)



Fig. 1:

Taxonomical classification Kingdom : Planatae

Subkingdom: Tracheobionta

Superdivision: Spermatophyta

Division: Magnoliophyta

Class: Dicotyledones

Sub class: Asteridae

Series: Bicarpellatae

Order: Gentianales

Family: Apocynaceae

Subfamily: Asclepiadiaceae

Genus: Calotropis

Species: *Calotropis gigantea*

Synonym

Common names: Giant Milkweed, Crown Flower, Swallow Wort.

Hindi: Safed aak, Aak, Alarkh, Madar, Sveta Arka, Akanda, Bara Akand

Gujarati: Aakando

English: Crown flower, giant Indian milkweed, Bowstring hemp, crownplant, madar

Malaysia: Remiga, rembega, kemengu.

Indonesia: Bidhuri (Sundanese, Madurese), sidaguri (Javanese), rubik (Aceh).

Philippines: Kapal-kapal (Tagalog).

Laos: Kok may, dok kap, dok hak.

Thailand: Po thuean, paan thuean (northern), rak

French: Faux arbre de soie, mercure vegetal

4. Chemical Constituents

Phytochemical of *C. gigantea* include Cardenolide, triterpenoids, alkaloids, resins, anthocyanins and proteolytic enzymes in latex, flavonoids, tannins, sterol, saponins, cardiac glycosides. Flowers contain-terpenes, multiflorenol, and cyclisadol. Further it contains triterpenes, a new

norditerpenyl ester, calotropfriedelenyl acetate, akundarol isovalerate, mundarol isovalerate and quercetin -3-rutinoside

Table 1: Role of ingredients in herbal syrup.

S.No.	Ingredients	Role
1.	Calotropis Gigantea extract	Antioxidant, free radicals, Scavenging, Anticancer
2.	Orange oil	Flavoring agent
3.	Sugar base invert	Preservatives
4.	Alcohol	Preservatives
5.	Amaranth red	Coloring agent

5. Materials and Methods

Herbal syrup is prepared by the method of decoction. The steps are as follows. *Calotropis Gigantea* Extract was obtained as a fine extract from Herbal Creations Pvt Ltd. The extract was prepared with an ethanol extracted by the Soxhlet extraction method. Furthermore, the extract was filtered and the extracts of the quantities used as shown in the table were used to prepare formulations F1 to F4. All extracts were mixed together and 50ml of syrup was obtained. Dyes, flavoring agents are added to it. Refer Tables 2, 3, 4 and 5 and the evaluation parameters are recorded in Table 6.⁷⁻¹⁰ for more details.

Table 2: Formulation 1 (F1) – For 50ml.

S.No.	Ingredients	Quantity
1.	Calotropis Gigantea Extract	7ml
2.	Orange oil	5ml
3.	Sugar base invert	38ml

Table 3: Formulation 2 (F2) – For 50ml.

S.No.	Ingredients	Quantity
1.	Calotropis Gigantea Extract	5ml
2.	Orange oil	2ml
3.	Sugar base invert	33ml
4.	Alcohol	10ml

Table 4: Formulation 3 (F3) – For 50ml

S.No.	Ingredients	Quantity
1.	Calotropis Gigantea Extract	8ml
2.	Orange oil	2ml
3.	Sugar base invert	33ml
4.	Alcohol	7ml

The following evaluation parameters were performed on formulation 4 (F4).

1. Density: It was measured by Weighing Bottle method.
2. Specific gravity: It was measured by Ostwald's Viscometer.

Table 5: Formulation 4 (F4) – For 50ml

S.No.	Ingredients	Quantity
1.	Calotropis Gigantea Extract	15ml
2.	Orange oil	4ml
3.	Sugar base invert	20ml
4.	Alcohol	11ml

Table 6: Evaluation of herbal syrup

S.No.	Parameters	F1	F2	F3	F4
1.	Density	1.50gm.	1.43gm	1.29gm	1.50
2.	Specific gravity	0.6289	0.6195	0.6135	0.6135
3.	Viscosity	3.75cp.	3.67cp	3.66cp	3.66cp
4.	pH determination				
	a) pH paper	Neutra	Neutra	Neutra	Neutra
	b) pH meter	17.01	17.44	17.54	17.61
	Organoleptic characters:				
5.	a) Color	Reddish	Reddish	Reddish	Reddish
	b) Odor	Aromatic	Aromatic	Aromatic	Aromatic
	c) Taste	Sweet	Sweet	Sweet	Sweet
	d) Appearance	Turbid	Turbid	Clear	Clear

3. Viscosity: It was measured by Ostwald's Viscometer.

6. Result and Discussion

The formulation F4 was optimized at the laboratory scale. The formulation can further be technology transferred for bulk and industrial production of herbal syrup of *C. gigantea*. The formulation is evaluated for stability and optimized for qualitatively with various parameters as per literature.

7. Conclusion

The Herbal formulation of *C. gigantea* was formulated, evaluated, and can be adopted for batch production on an industrial scale.

8. Source of Funding

None.

9. Conflict of Interest

None.

References

- Kometiani P, Liu L, Askari A. Digitalis-induced signaling by Na⁺/K⁺-ATPase in human breast cancer cells. *Mol Pharmacol*. 2005;67(3):929–36. doi:10.1124/mol.104.007302.
- Shiratori O. Growth inhibitory effect of cardiac glycosides and aglycones on neoplastic cells: in vitro and in vivo studies. *Gan*. 1967;58(6):521–8.
- Byelaws K, Winnicka K, Bielawska A. Inhibition of DNA topoisomerases I and II and growth inhibition of breast cancer MCF-7 cells by ouabain, digoxin and proscillaridin A. *Biol Pharm Bull*. 2006;29(7):1493–7. doi:10.1248/bpb.29.1493.
- Lopez-Lazaro M, Pastor N, Azrak SS, Ayuso MJ, Austin CA, Cortés F, et al. Digitoxin inhibits the growth of cancer cell lines at concentrations commonly found in cardiac patients. *J Nat Prod*. 2005;68(11):1642–5. doi:10.1021/np050226l.
- Aiton WT. *Calotropis procera*: Germplasm Resources Information Network. United States Department of Agriculture; 2001.
- Akshayan H, Rita N, Kumar G. Suitability of *Calotropis gigantea* Extract as a cleaning agent for dairy Storage Unit. *IJSER*. 2012;3(8). Available from: <https://www.ijser.org/researchpaper/Suitability-Of-Calotropis-Gigantea-Extract-As-A-Cleaning-Agent-For-Dairy-Storage-Unit.pdf>.
- Kumar VL, Roy S. *Calotropis procera* Latex Extract Affords Protection against Inflammation and Oxidative Stress in Freund's Complete Adjuvant-Induced Monoarthritis in Rats. *Mediators Inflamm*. 2007;p. 47523. doi:10.1155/2007/47523.
- Smit HF, Woerdenbag HJ, Singh RH, Meulenbeld GJ, Labadie RP, Zwaving JH, et al. Ayurvedic herbal drugs with possible cytostatic activity. *J Ethnopharmacol*. 1995;47(2):75–84. doi:10.1016/0378-8741(95)01255-c.
- Sehgal RS, Roy S, Kumar VL. Evaluation of cytotoxic potential of latex of *Calotropis procera* and podophyllotoxin in *Allium cepa* root model. *Biocell*. 2006;30(1):9–13.
- Grosa G, Allegrone G, Grosso ED. LC-ESI-MS/MS characterization of strophanthin-K. *J Pharm Biomed Anal*. 2005;38(1):79–86. doi:10.1016/j.jpba.2004.12.008.

Author biography

Amit G. Nerkar, Professor (UG) and Research Head
 <https://orcid.org/0000-0002-1377-8466>

Ashutosh Pansare, Final Year Under Graduate Student

Cite this article: Nerkar AG, Pansare A. Formulation and evaluation of medicated herbal syrup of madar (*calotropis gigantea*) extract. *Curr Trends Pharm Pharm Chem* 2023;5(3):94-96.